



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/964,890	09/28/2001	John S. Hendricks	SEDN/3698D5	2106

56015 7590 09/26/2006

PATTERSON & SHERIDAN, LLP/
SEDNA PATENT SERVICES, LLC
595 SHREWSBURY AVENUE
SUITE 100
SHREWSBURY, NJ 07702

EXAMINER

SHELEHEDA, JAMES R

ART UNIT PAPER NUMBER

2623

DATE MAILED: 09/26/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/964,890

Applicant(s)

HENDRICKS, JOHN S.

Examiner

James Sheleheda

Art Unit

2623

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 08 August 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-23 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-23 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 22 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Banker et al. (Banker) (5,477,262) (of record) in view of Remillard (5,404,393) (of record) and Saylor (Re. 32,776).

As to claim 22, while Banker discloses an interactive electronic program guide for controlling display of content on a television associated with a set top box (Fig. 3, 300; column 3, lines 20-29 and column 10, lines 61-63), the guide comprising:

a plurality of interactive menus (interactive menus for such features as sleep mode, messages, pay-per-view, VCR timing and STB control; Figs. 8, 10, 12, 16A, 18 and 20; column 21, line 44-column 25, line 27), each corresponding to a level of interactivity and having one or more interactive menu items for selection (Figs. 8, 10, 12, 16A, 18 and 20; column 21, line 44-column 25, line 27);

a main menu having one or more main menu items for selection (top menu; Fig. 7A), which main menu items correspond to the interactive menus (corresponding to the submenus; Fig. 7 and 7A; column 21, lines 34-45),

a mask to mask portions of a video (menu background; column 11, lines 18-30 and column 12, line 62-column 13, line 13), wherein the mask is adjusted to cover undesired portions of the video (background mode covering every portion of video; column 12, line 62-column 13, line 12);

a cursor highlight overlay to indicate the position of a cursor on at least one of the menus (cursor icon; Fig. 7A; column 12, lines 27-62 and column 21, lines 35-38), wherein the cursor highlight overlay is moveable in response to pressing of cursor movement buttons by a user (column 21, lines 15-43), and wherein a second graphic representing the cursor highlight overlay is stored in a second graphics file in the memory of the set top terminal (column 12, lines 27-48);

wherein the cursor highlight is displayed over the at least one of the menus (see Fig. 7A; column 21, lines 34-43) which is displayed over the mask (column 11, lines 23-31 and column 12, line 63-column 13, line 13); and

wherein the menus are navigated using a user input (column 21, lines 34-43), and wherein the main menu items and the interactive menu items are responsive to selection signals received from the user input (column 21, lines 34-43), he fails to specifically disclose wherein the mask is stored in a first graphics file in a memory of the set top and wherein the video comprises a plurality of video clips are transmitted simultaneously on a single channel using split screen video techniques.

In an analogous art, Remillard discloses television set top box (Fig. 1, 20) for generating menus overlaid onto a video program (Fig. 4; column 5, line 50-column 6, line 21) which stores menu backgrounds in memory (column 3, lines 11-20) for later

output and display (column 3, lines 1-20) for the typical benefit of allowing a user to select a preferred background for display (column 3, lines 11-20).

Additionally, in an analogous art, Saylor discloses a video distribution system wherein a plurality of video clips are transmitted simultaneously on a single channel (column 3, line 11-column 4, line 3) using split screen video techniques (column 3, line 11-column 4, line 17) for the typical benefit of more efficiently utilizing bandwidth by allowing a single channel to transmit additional video information (column 1, line 45-column 3, line 6).

It would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Banker's system to include wherein the mask is stored in a first graphics file in a memory of the set top, as taught by Remillard, for the typical benefit of allowing a user to select a preferred background for display.

Additionally, it would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Banker and Remillard's system to include wherein the video comprises a plurality of video clips are transmitted simultaneously on a single channel using split screen video techniques, as taught by Saylor, for the typical benefit of more efficiently utilizing bandwidth by allowing a single channel to transmit additional video information.

As to claim 23, while Banker discloses a set top terminal (Fig. 3, 300; column 10, lines 61-63) for generating an interactive electronic program guide for display on a

Art Unit: 2623

television connected to the set top terminal (Fig. 3; column 3, lines 20-29), the terminal comprising:

means for retrieving information about a subscriber (column 24, lines 19-39);

means for receiving a television signal (column 10, line 61-column 11, line 22);

means for extracting individual programs from the television signal (column 13, lines 49-59);

means for storing a first graphics file (column 12, lines 27-61) and a second graphics file (column 12, lines 27-61);

means for generating an electronic program guide for controlling display of content on a television screen (column 11, lines 21-31), the guide comprising:

a plurality of interactive menus (interactive menus for such features as sleep mode, messages, pay-per-view, VCR timing and STB control; Figs. 8, 10, 12, 16A, 18 and 20; column 21, line 44-column 25, line 27), each corresponding to a level of interactivity and having one or more interactive menu items for selection (Figs. 8, 10, 12, 16A, 18 and 20; column 21, line 44-column 25, line 27);

a main menu having one or more main menu items for selection (top menu; Fig. 7A), which main menu items correspond to the interactive menus (corresponding to the submenus; Fig. 7 and 7A; column 21, lines 34-45), wherein the menus are navigated using a user input (column 21, lines 34-43), and wherein the main menu items and the interactive menu items are responsive to selection signals received from the user input (column 21, lines 34-43);

a mask to mask portions of a video (menu background; column 11, lines 18-30 and column 12, line 62-column 13, line 13), wherein the mask is adjusted to cover undesired portions of the video (background mode covering every portion of video; column 12, line 62-column 13, line 12); and

a cursor highlight overlay to indicate the position of a cursor on at least one of the menus (cursor icon; Fig. 7A; column 12, lines 27-62 and column 21, lines 35-38), wherein the cursor highlight overlay is moveable in response to pressing of cursor movement buttons by a user (column 21, lines 15-43), and wherein a second graphic representing the cursor highlight overlay is stored in the second graphics file in the memory of the set top terminal (column 12, lines 27-48);

wherein the cursor highlight is displayed over the at least one of the menus (see Fig. 7A; column 21, lines 34-43) which is displayed over the mask (column 11, lines 23-31 and column 12, line 63-column 13, line 13); and

means for receiving the selection signals from the user input (Figs. 3 and 4; column 16, lines 19-42), he fails to specifically disclose wherein the mask is stored in the first graphics file in a memory of the set top and wherein the video comprises a plurality of video clips are transmitted simultaneously on a single channel using split screen video techniques.

In an analogous art, Remillard discloses television set top box (Fig. 1, 20) for generating menus overlaid onto a video program (Fig. 4; column 5, line 50-column 6, line 21) which stores menu backgrounds in memory (column 3, lines 11-20) for later

Art Unit: 2623

output and display (column 3, lines 1-20) for the typical benefit of allowing a user to select a preferred background for display (column 3, lines 11-20).

Additionally, in an analogous art, Saylor discloses a video distribution system wherein a plurality of video clips are transmitted simultaneously on a single channel (column 3, line 11-column 4, line 3) using split screen video techniques (column 3, line 11-column 4, line 17) for the typical benefit of more efficiently utilizing bandwidth by allowing a single channel to transmit additional video information (column 1, line 45-column 3, line 6).

It would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Banker's system to include wherein the mask is stored in a first graphics file in a memory of the set top, as taught by Remillard, for the typical benefit of allowing a user to select a preferred background for display.

Additionally, it would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Banker and Remillard's system to include wherein the video comprises a plurality of video clips are transmitted simultaneously on a single channel using split screen video techniques, as taught by Saylor, for the typical benefit of more efficiently utilizing bandwidth by allowing a single channel to transmit additional video information.

3. Claims 8-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Banker in view of Remillard and Gibson (5,539,871) (of record).

As to claim 8, Banker discloses a set top terminal (Fig. 3, 300; column 10, lines 61-63) for generating an interactive electronic program guide for display on a television connected to the set top terminal (Fig. 3; column 3, lines 20-29), the terminal comprising:

a plurality of menus (interactive menus for such features as sleep mode, messages, pay-per-view, VCR timing and STB control; Figs. 8, 10, 12, 16A, 18 and 20; column 21, line 44-column 25, line 27), including an overlay menu that is displayed during the program (column 12, line 62-column 13, line 12), the overlay menu having interactive features (Figs. 8, 10, 12, 16A, 18 and 20; column 21, line 44-column 25, line 27);

a mask to mask portions of a video (menu background; column 11, lines 18-30 and column 12, line 62-column 13, line 13), wherein the mask is adjusted to cover undesired portions of the video (background mode covering every portion of video; column 12, line 62-column 13, line 12);

a cursor highlight overlay to indicate the position of a cursor on at least one of the menus (cursor icon; Fig. 7A; column 12, lines 27-62 and column 21, lines 35-38), wherein the cursor highlight overlay is moveable in response to pressing of cursor movement buttons by a user (column 21, lines 15-43), and wherein a second graphic representing the cursor highlight overlay is stored in a second graphics file in the memory of the set top terminal (column 12, lines 27-48);

wherein the cursor highlight is displayed over the at least one of the menus (see Fig. 7A; column 21, lines 34-43) which is displayed over the mask (column 11, lines 23-31 and column 12, line 63-column 13, line 13).

While Banker discloses an overlay menu that is displayed in response to a signal received from the user input (column 19, line 59-column 20, line 5), he fails to specifically disclose a logo that is displayed on the television screen during one of the programs, which program has one or more interactive features, wherein the logo indicates to a user that the interactive features are available for the program, wherein the mask is stored in the first graphics file in a memory of the set top and wherein the video comprises a plurality of video clips are transmitted simultaneously on a single channel using split screen video techniques.

In an analogous art, Gibson discloses a system wherein an interactive menu system for display on a television in conjunction with television programming (column 2, lines 10-27), wherein

a logo that is displayed on a display during a program having one or more interactive features (column 3, line 65-column 4, line 35 and column 6, lines 1-24);

a overlay menu that is displayed during the program (displayed list of choices; column 6, lines 51-56), the overlay menu including the interactive features (column 6, lines 53-62),

wherein the logo indicates to a user that the interactive features are available for the program (column 4, lines 7-35 and column 6, lines 1-24), and wherein the overlay menu is displayed in response to a signal received from a user input (column 6, line 38-

56) for the typical benefit of allowing a user to elect to access additional information associated with a multimedia presentation (column 1, lines 39-63).

Additionally, in an analogous art, Remillard discloses television set top box (Fig. 1, 20) for generating menus overlaid onto a video program (Fig. 4; column 5, line 50-column 6, line 21) which stores menu backgrounds in memory (column 3, lines 11-20) for later output and display (column 3, lines 1-20) for the typical benefit of allowing a user to select a preferred background for display (column 3, lines 11-20).

Also, in an analogous art, Saylor discloses a video distribution system wherein a plurality of video clips are transmitted simultaneously on a single channel (column 3, line 11-column 4, line 3) using split screen video techniques (column 3, line 11-column 4, line 17) for the typical benefit of more efficiently utilizing bandwidth by allowing a single channel to transmit additional video information (column 1, line 45-column 3, line 6).

It would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Banker's system to include a logo that is displayed on the television screen during one of the programs, which program has one or more interactive features, wherein the logo indicates to a user that the interactive features are available for the program, as taught by Gibson, for the typical benefit of providing a user with a means to easily identify and access additional information related to a displayed video presentation.

Additionally, it would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Banker and Gibson's system to include wherein

the mask is stored in a first graphics file in a memory of the set top, as taught by Remillard, for the typical benefit of allowing a user to select a preferred background for display.

Also, it would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Banker, Gibson and Remillard's system to include wherein the video comprises a plurality of video clips are transmitted simultaneously on a single channel using split screen video techniques, as taught by Saylor, for the typical benefit of more efficiently utilizing bandwidth by allowing a single channel to transmit additional video information.

As to claim 9, Banker, Gibson, Remillard and Saylor disclose wherein the overlay menu includes menu options for a plurality of interactive features (see Banker at Figs. 7 and 7A and Gibson at column 5, lines 38-54 and column 6, lines 52-56).

As to claim 10, Banker, Gibson, Remillard and Saylor disclose wherein the overlay menu further includes a menu option to return to the program without the interactive features (see Banker at Fig. 7A and Gibson at column 6, lines 57-60 and Fig. 6, steps 610, 612 and 616).

As to claim 11, Banker, Gibson, Remillard and Saylor disclose a cursor that indicates one of the menu options (see Banker at column 21, lines 34-43 and Gibson at column 6, lines 51-56, column 4, lines 27-35 and column 3, lines 36-39), wherein the

Art Unit: 2623

cursor is controlled by the user input (see Banker at column 21, lines 34-43 and Gibson at column 4, lines 27-35 and column 3, lines 36-39).

As to claim 12, Banker, Gibson, Remillard and Saylor disclose wherein the interactive features include facts related to the program (see Gibson at column 4, line 65-column 5, line 5).

As to claim 13, Banker, Gibson, Remillard and Saylor disclose wherein the guide further comprises a plurality of interactive submenus for use with the interactive features (see Banker at Figs. 7 and 7A and column 21, lines 34-43), which submenus are displayed in response to a selection of the menu items (see Banker at column 21, lines 34-43), the selection being received as at least one of the selection signals from the user input (see Banker at column 21, lines 34-43).

As to claim 14, Banker, Gibson, Remillard and Saylor disclose wherein the submenus are displayed (see Banker at Fig. 7A) in a scaled down program video format (PIP display; see Strubbe at Fig. 6B; column 3, lines 34-45 and column 5, lines 26-39).

As to claim 15, Banker, Gibson, Remillard and Saylor disclose wherein the program and one or more of the submenus are displayed on the television at the same time (see Banker at column 12, line 63-column 13, line 13).

As to claim 16, Banker, Gibson, Remillard and Saylor disclose wherein the logo is displayed as an overlay menu (overlaid button to select; see Gibson at column 4, lines 7-36).

As to claim 17, Banker, Gibson, Remillard and Saylor disclose wherein the logo is displayed by the set top terminal (see Banker at Fig. 3; column 12, lines 42-61), and wherein the set top terminal determines whether there is data or information about the program to be displayed as the one or more interactive features (see Gibson at column 5, lines 38-54) and displays the logo if there is data or information (see Gibson at column 6, lines 1-10).

As to claim 18, Banker, Gibson, Remillard and Saylor disclose wherein the set top terminal (see claim 17) generates an overlay menu including the logo (see Gibson at column 3, line 65-column 4, line 35 and column 6, lines 1-24).

As to claim 19, while Banker, Gibson, Remillard and Saylor disclose generating the overlay menu utilizing a set top converter (see Banker at column 12, lines 42-61), they fail to specifically disclose using data received during a vertical blanking interval.

The examiner takes Official Notice that it was notoriously well known in the art at the time of invention by applicant to utilize data from a vertical blanking interval, as receiving data during a vertical blanking interval at a set top terminal allows a cable headend or other programming provider to download additional data and information to

a user's system, such as interactive information or data updates, for the typical benefit allowing additional and updated information to be received at a user's terminal from a broadcast provider utilizing a television signal.

It would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Banker, Gibson, Remillard and Saylor's system to include using data received during a vertical blanking interval for the typical benefit allowing additional and updated information to be received at a user's terminal from a broadcast provider utilizing a television signal.

As to claim 20, Banker, Gibson, Remillard and Saylor disclose wherein the logo is displayed in a corner of the screen of the television periodically for a specified duration (see Gibson at Fig. 3B, Fig. 4, step 408; column 5, lines 6-20).

As to claim 21, while Banker, Gibson, Remillard and Saylor disclose wherein the logo is displayed for a particular period of time (pertaining to periods of time an object is on the display; see Gibson at column 6, lines 10-18 and column 4, lines 7-26 and lines 45-54), they fail to specifically disclose displaying the logo for 15 seconds during a plurality of ten-minute segments of the program.

The examiner takes Official Notice that it was notoriously well known in the art at the time of invention by applicant to display specific objects in a media presentation for at least 15 seconds during a plurality of ten-minutes segments of the program, such as the main character or object in a television program or movie, for the typical benefit of

displaying important information to viewer's during extended periods of time during a program.

It would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Banker, Gibson, Remillard and Saylor's system to include displaying the logo for 15 seconds during a plurality of ten-minute segments of the program for the typical benefit of displaying important information to viewer's during extended periods of time during a program.

4. Claims 1 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Goldstein (5,410,326) (of record) in view of Banker and Remillard.

As to claim 1, while Goldstein discloses an interactive electronic program guide for display on a television for use with a television delivery system comprising a set top terminal (column 33, lines 3-34), the guide comprising:

- a home menu (master menu; column 34, lines 1-9);

- a plurality of major menus displayed as menu options on the home menu (column 34, lines 6-19);

- a plurality of sub-menus displayed as menu options on the plurality of major menus (column 34, line 67-column 35, line 59); and

- a plurality of during programming menus enacted after selection of a program (additional information icons displayed during a program; column 14, lines 3-20), he fails to specifically disclose a mask to mask portions of a video, wherein a first graphic portion representing said mask is stored in a first graphics file in a memory of the set top

Art Unit: 2623

terminal, a cursor highlight overlay to indicate the position of a cursor on at least one of the menus, wherein the cursor highlight overlay is moveable in response to pressing of cursor movement buttons by a user, and wherein a second graphic representing the cursor highlight overlay is stored in the second graphics file in the memory of the set top terminal, wherein the cursor highlight is displayed over the at least one of the menus which is displayed over the mask and wherein the video comprises a plurality of video clips are transmitted simultaneously on a single channel using split screen video techniques.

In an analogous art, Banker discloses an interactive electronic program guide for controlling display of content on a television associated with a set top box (Fig. 3, 300; column 3, lines 20-29 and column 10, lines 61-63), the guide comprising:

a plurality of interactive menus (interactive menus for such features as sleep mode, messages, pay-per-view, VCR timing and STB control; Figs. 8, 10, 12, 16A, 18 and 20; column 21, line 44-column 25, line 27), each corresponding to a level of interactivity and having one or more interactive menu items for selection (Figs. 8, 10, 12, 16A, 18 and 20; column 21, line 44-column 25, line 27);

a main menu having one or more main menu items for selection (top menu; Fig. 7A), which main menu items correspond to the interactive menus (corresponding to the submenus; Fig. 7 and 7A; column 21, lines 34-45),

a mask to mask portions of a video (menu background; column 11, lines 18-30 and column 12, line 62-column 13, line 13), wherein the mask is adjusted to cover

undesired portions of the video (background mode covering every portion of video;
column 12, line 62-column 13, line 12);

a cursor highlight overlay to indicate the position of a cursor on at least one of the
menus (cursor icon; Fig. 7A; column 12, lines 27-62 and column 21, lines 35-38),
wherein the cursor highlight overlay is moveable in response to pressing of cursor
movement buttons by a user (column 21, lines 15-43), and wherein a second graphic
representing the cursor highlight overlay is stored in a second graphics file in the
memory of the set top terminal (column 12, lines 27-48);

wherein the cursor highlight is displayed over the at least one of the menus (see
Fig. 7A; column 21, lines 34-43) which is displayed over the mask (column 11, lines 23-
31 and column 12, line 63-column 13, line 13) for the typical benefit of providing a
means of utilizing a single available chip (column 12, lines 27-29) to easily generate and
display a menu overlaid onto a television video program (column 11, lines 17-30 and
column 12, line 27-column 13, line 12).

Additionally, in an analogous art, Remillard discloses television set top box (Fig.
1, 20) for generating menus overlaid onto a video program (Fig. 4; column 5, line 50-
column 6, line 21) which stores menu backgrounds in memory (column 3, lines 11-20)
for later output and display (column 3, lines 1-20) for the typical benefit of allowing a
user to select a preferred background for display (column 3, lines 11-20).

Also, in an analogous art, Saylor discloses a video distribution system wherein a
plurality of video clips are transmitted simultaneously on a single channel (column 3,
line 11-column 4, line 3) using split screen video techniques (column 3, line 11-column

4, line 17) for the typical benefit of more efficiently utilizing bandwidth by allowing a single channel to transmit additional video information (column 1, line 45-column 3, line 6).

It would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Goldstein's system to include a mask to mask portions of a video, a cursor highlight overlay to indicate the position of a cursor on at least one of the menus, wherein the cursor highlight overlay is moveable in response to pressing of cursor movement buttons by a user, and wherein a second graphic representing the cursor highlight overlay is stored in the second graphics file in the memory of the set top terminal, wherein the cursor highlight is displayed over the at least one of the menus which is displayed over the mask, as taught by Banker, for the typical benefit of providing a user with a means to easily identify and access additional information related to a displayed video presentation.

Additionally, it would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Goldstein and Banker's system to include wherein the mask is stored in the first graphics file in a memory of the set top, as taught by Remillard, for the typical benefit of allowing a user to select a preferred background for display.

Also, it would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Banker and Remillard's system to include wherein the video comprises a plurality of video clips are transmitted simultaneously on a single channel using split screen video techniques, as taught by Saylor, for the typical benefit

of more efficiently utilizing bandwidth by allowing a single channel to transmit additional video information.

As to claim 7, Goldstein, Banker, Remillard and Saylor disclose wherein the during program menus comprise hidden menus and program overlay menus (comprising overlaid icons and hidden embedded information; see Goldstein at column 14, lines 3-20).

5. Claims 2-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Goldstein, Banker, Remillard and Saylor, as applied to claim 1 above, and further in view of Strubbe et al. (Strubbe) (5,047,867) (of record).

As to claims 2, while Goldstein, Banker, Remillard and Saylor disclose an introductory menu that is displayed upon beginning use of the guide (local menu to perform initialization; see Goldstein at column 33, lines 11-34) and wherein at least one of the menus of the guide comprises video, graphics and text (the display comprises overlaid icons onto the video signal; see Goldstein at column 14, lines 3-20) demultiplexed from a signal received over the television delivery system (column 18, line 50-column 19, line 12), they fail to specifically disclose wherein at least one of the menus of the guide comprises a version of the demultiplexed video which is scaled and repositioned.

In an analogous art, Strubbe discloses a television receiver system (Figs. 1 and 2; column 2, line 64-column 3, line 16) wherein a menu will be displayed to a user (Fig.

Art Unit: 2623

6B) with scaled and repositioned video (PIP display; Fig. 6B; column 3, lines 34-45 and column 5, lines 26-39) upon selection of a particular program (column 5, lines 26-32) for the typical benefit of providing means for users to easily identify a particular program (column 5, lines 25-37).

It would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Goldstein, Banker, Remillard and Saylor's system to include wherein at least one of the menus of the guide comprises a version of the demultiplexed video which is scaled and repositioned, as taught by Strubbe, for the typical benefit of providing means for users to easily identify a particular program.

As to claim 3, Goldstein, Banker, Remillard, Saylor and Strubbe disclose wherein the guide is controlled by a set top terminal (television receiver; see Goldstein at column 33, lines 11-33), and wherein the introductory menu automatically appears on the television screen when the set top terminal is turned on (see Goldstein at column 3, lines 11-16); and

wherein the guide further comprises:

a channels query menu for querying a user to determine a plurality of the user's favorite channels (see Goldstein at column 26, lines 40-63);

a programs query menu for querying a user to determine a plurality of the user's favorite programs (program based favorite listing; see Goldstein at column 6, lines 52-55, column 26, line 15-column 27, line 17);

at least one favorite channels menu displaying at least some of the plurality of favorite channels (see Goldstein at column 26, lines 27-44 and column 9, line 56-column 10, line 10); and

at least one favorite programs menu displaying at least some of the plurality of favorite programs (program based favorite listing; see Goldstein at column 6, lines 52-55, column 26, line 15-column 27, line 17 and column 9, line 56-column 10, line 10).

As to claim 4, Goldstein, Banker, Remillard, Saylor and Strubbe disclose wherein the introductory menu displays information or messages from a television delivery system operations center that provides programming (see Goldstein at column 33, lines 11-68).

As to claim 5, Goldstein, Banker, Remillard, Saylor and Strubbe disclose wherein the information or messages are directed to a particular subscriber (see Goldstein at column 20, lines 54-63).

As to claim 6, Goldstein, Banker, Remillard, Saylor and Strubbe disclose wherein the information or messages are directed to a group of subscribers (see Goldstein at column 20, lines 54-63).

Response to Arguments

Art Unit: 2623

6. Applicant's arguments with respect to claims 1-23 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

7. The following are suggested formats for either a Certificate of Mailing or Certificate of Transmission under 37 CFR 1.8(a). The certification may be included with all correspondence concerning this application or proceeding to establish a date of mailing or transmission under 37 CFR 1.8(a). Proper use of this procedure will result in such communication being considered as timely if the established date is within the required period for reply. The Certificate should be signed by the individual actually depositing or transmitting the correspondence or by an individual who, upon information and belief, expects the correspondence to be mailed or transmitted in the normal course of business by another no later than the date indicated.

Certificate of Mailing

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

on _____.
(Date)

Typed or printed name of person signing this certificate:

Signature: _____

Registration Number: _____

Certificate of Transmission

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office, Fax No. () _____ - _____ on _____.
(Date)

Typed or printed name of person signing this certificate:

Signature: _____

Registration Number: _____

Please refer to 37 CFR 1.6(d) and 1.8(a)(2) for filing limitations concerning facsimile transmissions and mailing, respectively.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to James Sheleheda whose telephone number is (571) 272-7357. The examiner can normally be reached on 9:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chris Kelley can be reached on (571) 272-7331. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

James Sheleheda
Patent Examiner
Art Unit 2623



CHRIS KELLEY
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600